

*MS*

Name of business Cleveland Co. Animal Control  
 City Shelby License number (if currently licensed) 75 license type 41

**Duties of a CET**

Prepare animals for euthanasia .0418 <u>N/A</u>	Properly record all data .0418 <u>Adequate</u>	Security, controlled substances .0418 <u>Adequate</u>	<i>NO Euthanasia At time of inspection of chamber. 1/31/2012</i>
Supervise Prob. CET .0418 <u>N/A</u>	Properly euthanize .0418 <u>N/A</u>	Properly dispose of dead .0418 <u>N/A</u>	

**Euthanasia by Injection**

IC only on anesth. or sedated .0501  
Adequate N/A *no use of chamber during inspection 1/31/2012*

**Euthanasia by CO**

Use only bottled gas .0601 <u>Adequate</u>	Use only comm. mfd chamber .0601 <u>Adequate</u>	Only same species in chamber .0601 <u>N/A</u>	In chamber for >= 20 min. .0601 <u>N/A</u>
Not used on < 16 weeks .0602 <u>N/A</u>	Not used on pregnant .0602 <u>N/A</u>	Not used on near death .0602 <u>N/A</u>	No live with dead .0603 <u>N/A</u>
Animals separated .0604 <u>N/A</u>	At least 1 viewport .0605 <u>Adequate</u>	Chamber in good order .0605 <u>Adequate</u>	Airtight seals present .0605 <u>Adequate</u>
Light shatterproof .0605 <u>Adequate</u>	Chamber sufficiently lit .0605 <u>Adequate</u>	Electrical explosion-proof .0605 <u>Adequate</u>	If inside, two CO monitors .0605 <u>N/A</u>
Records of monthly inspection .0606 <u>Adequate</u>	Records of yearly inspection .0606 <u>Adequate</u>	Visual inspection by AWS <u>Adequate</u>	
Chamber cleaned b/t uses .0607 <u>N/A</u>	Operational guide & or manual .0608 <u>Adequate</u>	>= 2 adults present when used .0609 <u>N/A</u>	

**Extraordinary methods**

Reports of extraordinary euth. .0705  
N/A

**Policy and procedure manual**

Current copy of AWA in manual .0803 <u>Adequate</u>	Current AVMA euth. in manual .0803 <u>Adequate</u>	Current HSUS euth. in manual .0803 <u>Adequate</u>	Current AHA euth. in manual .0803 <u>Adequate</u>
List of approved euth. methods .0803 <u>Adequate</u>	List of CETs & methods .0803 <u>Adequate</u>	Contact info for DVM in PVC .0803 <u>Adequate</u>	Contact info for DVM care .0803 <u>Adequate</u>
List after hour euth. meth. 0803 <u>Adequate</u>	Euth. methods if no CET present 0803 <u>Adequate</u>	Policy for verifying death .0803 <u>Adequate</u>	Contact info for suppliers. 0803 <u>Adequate</u>
DEA certificate .0803 <u>Adequate</u>	MSDS sheets, chemical or gas .0803 <u>Adequate</u>	MSDS sheets, tranq. or anesth. .0803 <u>Adequate</u>	Signs & symptoms, human .0803 <u>Adequate</u>
First aid information .0803 <u>Adequate</u>	MD contact information .0803 <u>Adequate</u>		

*Mary Starn*  
 Signature of inspector

1/31/2012  
 date

page 1 of 1

*Tom Bowling*  
 Signature of management