

RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.



**EPA SLN NO.
NC-070002**



**FOR DISTRIBUTION
AND USE ONLY IN
NORTH CAROLINA**

For Agricultural or Commercial Use Only

EPA Reg. No. 279-3313

EMERGENCY CALLS: 800-331-3148

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN
A MANNER INCONSISTENT WITH ITS LABELING**

**THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF
PESTICIDE APPLICATION.**

Crop	Pest	Rate of Application
Sweet Potato	Wireworm Rootworm Sweet Potato Flea Beetle White Grub	9.6 to 19.2 fluid ounces per acre (0.15 to 0.3 lbs active per acre)

DIRECTIONS FOR USE:

Brigade 2EC may be applied to the soil as a pre-plant application, post plant application or both.

A pre-plant treatment of Brigade 2EC may be applied at the rate of 0.15 to 0.3 pounds active per acre (9.6 to 19.2 fluid ounces) as a soil incorporated broadcast or directed bed spray or a T-band spray into the planting furrow.

Brigade 2EC may also be applied as one or more soil-directed and incorporated treatments at cultivation at a rate of 0.15 to 0.3 pounds active per acre (9.6 to 19.2 fluid ounces). Applications at cultivation should be directed onto each side of the bed from the drill to the middle of the furrow and incorporated with cultivating equipment set to throw soil towards the drill area.

RESTRICTIONS:

Do not apply more than 2 foliar applications per acre per season.

Do not apply more than 0.5 lb. active ingredient per acre per season, including both soil and foliar application.

Do not apply within 21 days of harvest.

**ALL APPLICATION DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE BRIGADE 2EC
INSECTICIDE/MITICIDE, EPA REG. NO. 279-3313, EPA REGISTERED LABEL ARE TO BE FOLLOWED.
PERSONAL PROTECTIVE EQUIPMENT AND REENTRY INTERVALS ON THIS 24C OR ON THE BASIC
LABEL MUST BE FOLLOWED.**