



AgWRAP COOPERATOR ACKNOWLEDGEMENT



Conservation Irrigation Conversion

Cooperator Name:	Date:
Tract/Field:	County:
= -	provide important information regarding AgWRAP policies pertaining to Conservation Irrigation y read through each of the items and initial on the line to acknowledge that you have read and mation.
	illed out with the assistance of local Soil and Water Conservation District staff so that they may nation and answer any questions that arise.
	on conversion is intended to modify an existing irrigation system to increase efficiency and of irrigation water. The cooperator must currently have an irrigation system in place to take part in
follows:	k which Conservation Irrigation Conversion you are planning. Allowable conversion types are as y irrigation system, including hand watering, to micro-irrigation neter-pivot and lateral move irrigation to drop nozzles or low-pressure spray nozzles eveling gun system to center-pivot or lateral move system using drop nozzles or low-pressure spray Towable center-pivots are eligible when conversion to center-pivot (with drop nozzles or low-pressure spray), however, cost share amount will be based upon the largest single pivot area for which the conversion is planned tallation of end-gun shutoff devices on existing irrigation equipment
	rs are required to be installed as near to the water supply as practical to monitor flow rates, detect clogs in the system. These devices are cost shareable.
Only one ir	rigation conversion system per cooperator/farming operation is allowed.
	or technical representatives must develop and follow an irrigation water management plan and on and maintenance plan.
	revention devices are required to be installed if the system is used in conjunction with fertigation tion or a potable water source is used for irrigation. These devices are cost shareable.
The minimi	um life expectancy for the irrigation conversion system is 10 years.

1 | AgWRAP-CIC CA Form NC DSWC





AgWRAP COOPERATOR ACKNOWLEDGEMENT



Conservation Irrigation Conversion

 Alternative solutions to address the inadequate water supply resource concern or other resource concerns will be considered and evaluated.
 All Conservation Irrigation Conversion systems must be certified by a professional engineer, an NC licensed irrigation contractor, a person certified by the National Irrigation Association, a USDA NRCS Technical Service Provider with Conservation Activity Plans (CAP) 118 authorization, or an individual with appropriate job approval authority.
 The AgWRAP cost share rates for Conservation Irrigation Conversion INSTALLATION are as follows:

Applicant Type	Cost Share Rate	Maximum Reimbursement
Standard	75% of actual costs per receipts	\$30,000
New or Limited Resource Farmer* Enhanced Voluntary Agriculture District#	90% of actual costs per receipts	\$36,000

^{*} Certified using NC-ACSPs-1E # Certified using county enrollment records.

The AgWRAP cost share rates for Conservation Irrigation Conversion DESIGN are as follows:

Applicant Type	Cost Share Rate	Maximum Reimbursement
Standard	75% of actual costs per receipts	\$5,000
New or Limited Resource Farmer* Enhanced Voluntary Agriculture District#	90% of actual costs per receipts	\$6,000

^{*} Certified using NC-ACSPs-1E # Certified using county enrollment records.

2 | AgWRAP-CIC CA Form NC DSWC





Agwrap Cooperator ACKNOWLEDGEMENT



Conservation Irrigation Conversion

i intend to use the following design/engineering assistance:						
 I plan to hire my own irrigation professional I plan to use District design assistance I request Division engineering assistance, understanding that Division a delays during the design process. 	ssistance is limited and may lead to					
I acknowledge by my signature below that I have read and understand the policies listed above.						
PRINT NAME:						
SIGNATURE:	DATE:					