CONTRACTOR OF THE STORE	on of SOIL & WATER CONSERVATION
ACCADED NOT	North Carolina

AgWRAP / ACSP SITE EVALUATION SHEET

Water Supply Well / **Stream Protection Well** for LIVESTOCK



#### **COOPERATOR INFORMATION**

First Name	Last name		
County	Tract - Field		
Contract Number	Program		
Type of livestock:	Type of operation:		
Dairy E	Poultry Equine Goat/Sheep		
WELL SITE INFORMATION			
Well Site Coordinates (decimal deg	grees): LAT LONG		
Please check each box to acknowledge that the proposed well location meets the following conditions:			
The well will be located at a higher elevation than any source of contamination			

The well will be located at a higher elevation than any source of contamination

The proposed well location is NOT in an area generally flooded or where surface flow of any volume should be expected. (Areas to be avoided include - concave slope, alluvial or colluvial soils, gullies, depressions and drainage ways.)

There are no overhead or underground utilities in close proximity to the proposed well location

The proposed well location is readily accessible for maintenance and repair

Surface runoff from any area used by livestock shall be diverted away from the well head.

## WELL SITE INFORMATION

Please check each box to confirm that the proposed well location meets required setback distances from sources of contamination [the greater of NRCS Standard 642 or N.C. State Law]. Note: Some county regulations are more restrictive; you must use the most restrictive rule which applies to your well.

Sanitary landfill	500 Feet
Waste disposal lagoon or holding pond	300 Feet
Pit silo	150 Feet
Septic tank and disposal field	100 Feet
Permanent Livestock feeding area (concrete pads or heavy use areas, etc.)	100 Feet
Livestock barn	100 Feet
Manure pile	100 Feet
Waste irrigation sites	100 Feet
Fertilizer, pesticide or other chemical storage areas	100 Feet
Non-hazardous / Inert debris landfills (stump dumps)	100 Feet
Gravity sewer line or transfer station (non-water tight)	100 Feet
Regulated fuel or chemical storage tanks (without secondary containment)	100 Feet
Agrichemical handling and mixing facility	100 Feet
Regulated fuel or chemical storage tanks (with secondary containment)	50 Feet
Gravity sewer line or transfer station (water tight)	50 Feet
Heating fuel storage tanks – above and below ground	50 Feet
Ponds, lakes, reservoirs	50 Feet
Gravesites	50 Feet
Other possible sources of contamination (livestock watering tank, equipment wash areas, etc.)	50 Feet
Streams, creeks, rivers, etc.	25 Feet
Building foundations	25 Feet

#### WELL FLOW ESTIMATE

The Well Flow Rate and Total Water Use are an estimation of the potential water demand that will be required from the proposed well to meet the water needs of the specified livestock.

The Well Flow Estimates should be provided to the well driller as an ESTIMATE of the required well flow that will be needed to meet the cooperator's livestock watering needs. If wells in the area do not typically yield the estimated flow, multiple wells or an alternate water source will be required OR the number of animals watered will need to be reduced.

In the example below a livestock watering system capable of providing an adequate water supply for 50 beef cow/calf pairs, running for 24 hours per day, requires a minimum well flow rate of 1 GPM, and will use 1,500 gallons per day.

Animal Type	Number	Water Use <sup>1</sup> (gal/day/head)	Well Flow Rate <sup>2,3</sup> (GPM)	TOTAL Water Use <sup>4</sup> (gal/day)
Beef Cow/Calf pair	50	30	1	1,500

1. Value from attached Livestock Watering Parameters table.

(Number X Water Use) 2. Well Flow Rate = (60 min X 24 hrs/day)

3. The Well Flow Rate calculation is based on the livestock watering system operating 24 hours/day. If the system


run time will be different adjust the calculation accordingly.

4. Total Water Use = Number X Water Use

## **COASTAL PLAIN CAPACITY USE AREA PERMIT**

#### Is the well site located in the Central Coastal Plain Capacity Use Area (CCPCUA)?

CCPCUA counties include: BEAUFORT, CARTERET, CRAVEN, DUPLIN, EDGECOMBE, GREENE, JONES, LENOIR, MARTIN, ONSLOW, PAMLICO, PITT, WASHINGTON, WAYNE and WILSON



► Wells located in the CCPCUA are subject to the CCPCUA Rules:

- Permits are required for ground water users of more than 100,000 gallons per day.
- Annual registration and reporting of withdrawals is required for surface and ground water users of more than 10,000 gallons per day.
- CCPCUA Website https://www.ncwater.org/?page=49&menu=Home

#### LARGE CAPACITY WATER SUPPLY WELL PERMIT

#### Will the proposed well qualify as a Large Capacity Water Supply Well?

A Large Capacity Water Supply Well is any water supply well or water well system with a design capacity equal to or greater than **100,000 gallons per day** 

YES	NO
► NC DEQ	Permits are required to construct any Large Capacity Water supply well
	For more information visit:
	https://deq.nc.gov/about/divisions/water-resources/water-resources-permits/wastewater-
	branch/ground-water-protection/well-program

## **REQUIRED DOCUMENTATION**

The following documents must be completed and included in the contract folder and/or conservation plan folder. Please check the box to acknowledge that each document has been completed.

Operation and Maintenance Plan - Water Well	
Operation and Maintenance Plan - Pumping Plant	
GIS Map showing the location of the proposed Water Well. In of contamination	clude the 100 yr. floodplain and any potential sources
NC NRCS Practice Job Sheet - 642 - Water Well	
Well System Details Diagram	
Submitted NRCS Cultural Resources Review	
Local and/or State well permits, if applicable	N/A*

to verify that permits are not required for this well.

### **TECHNICAL REPRESENTATIVE**

Name	Agency	
Signature		Date

\*Please upload this form into CS2 prior to submitting the contract for Division review.

# WELL SITE EVALUATION LIVESTOCK WATERING PARAMETERS TABLE

The values in this table should only be used to <u>ESTIMATE</u> Well Flow Rate and TOTAL Water Use for a NC CSP water supply well and pump. The Water Use values should not be used to create detailed livestock watering designs. The actual livestock water use may vary based on other parameters.

ANIMAL TYPE	Water Use <sup>1,2,3</sup> (gal/head/day)
Beef cattle	15
Beef cow	20
Beef cow/calf pair	30
Goats	2
Horses	8
Milking cow	35
Milking cow/calf pair	45
Dry cow	15
Sheep and lambs	2
Nursery pigs (up to 60 lbs BW)	0.7
Grower Pigs (60-100 lbs BW)	2 - 3
Finishing Pigs (100-250 lbs BW)	3 - 5
Nonpregnant gilts	3
Pregnant sows	3 - 6
Lactating sows	2.5 - 7
Boars	5
	(gal/1,000 birds/day)
Broilers	70 - 85

 $1.\ https://content.ces.ncsu.edu/water-needs-assessment-tool-a-guide-for-technical-specialists$ 

2. https://projects.ncsu.edu/project/swine\_extension/healthyhogs/book1995/almond.htm

3. 2013 J. Appl. Poult. Res. 22 :934-941 http://dx.doi.org/ 10.3382/japr.2013-00767